



Heath Hills

Management Plan 2015-2020

MANAGEMENT PLAN - CONTENTS PAGE

ITEM	Page No.
Introduction	
Plan review and updating	
Woodland Management Approach	
Summary	
1.0 Site details	
2.0 Site description	
2.1 Summary Description	
2.2 Extended Description	
3.0 Public access information	
3.1 Getting there	
3.2 Access / Walks	
4.0 Long term policy	
5.0 Key Features	
5.1	
5.2	
6.0 Work Programme	
Appendix 1: Compartment descriptions	
Glossary	
MAPS	
Access	
Conservation Features	
Management	

THE WOODLAND TRUST

INTRODUCTION

The Trust's corporate aims and management approach guide the management of all the Trust's properties, and are described on Page 4. These determine basic management policies and methods, which apply to all sites unless specifically stated otherwise. Such policies include free public access; keeping local people informed of major proposed work; the retention of old trees and dead wood; and a desire for management to be as unobtrusive as possible. The Trust also has available Policy Statements covering a variety of woodland management issues.

The Trust's management plans are based on the identification of Key Features for the site and setting objectives for their management. A monitoring programme (not included in this plan) ensures that these objectives are met and any necessary management works are carried out.

Any legally confidential or sensitive species information about this site is not included in this version of the plan.

PLAN REVIEW AND UPDATING

The information presented in this Management plan is held in a database which is continuously being amended and updated on our website. Consequently this printed version may quickly become out of date, particularly in relation to the planned work programme and on-going monitoring observations. Please either consult The Woodland Trust website www.woodlandtrust.org.uk or contact the Woodland Trust (wopsmail@woodlandtrust.org.uk) to confirm details of the current management programme.

There is a formal review of this plan every 5 years and a summary of monitoring results can be obtained on request.

WOODLAND MANAGEMENT APPROACH

The management of our woods is based on our charitable purposes, and is therefore focused on improving woodland biodiversity and increasing peoples' understanding and enjoyment of woodland. Our strategic aims are to:

- Protect native woods, trees and their wildlife for the future
- Work with others to create more native woodlands and places rich in trees
- Inspire everyone to enjoy and value woods and trees

All our sites have a management plan which is freely accessible via our website www.woodlandtrust.org.uk. Our woods are managed to the UK Woodland Assurance Standard (UKWAS) and are certified with the Forest Stewardship Council® (FSC®) under licence FSC-C009406 and through independent audit.

In addition to the guidelines below we have specific guidance and policies on issues of woodland management which we review and update from time to time.

We recognise that all woods are different and that the management of our sites should also reflect their local landscape and where appropriate support local projects and initiatives. Guidelines like these provide a necessary overarching framework to guide the management of our sites but such management also requires decisions based on local circumstances and our Site Manager's intimate knowledge of each site.

The following guidelines help to direct our woodland management:

1. Our woods are managed to maintain their intrinsic key features of value and to reflect those of the surrounding landscape. We intervene when there is evidence that it is necessary to maintain or improve biodiversity and to further the development of more resilient woods and landscapes.
2. We establish new native woodland using both natural regeneration and tree planting, but largely the latter, particularly when there are opportunities for involving people.
3. We provide free public access to woods for quiet, informal recreation and our woods are managed to make them accessible, welcoming and safe.
4. The long term vision for our non-native plantations on ancient woodland sites is to restore them to predominantly native species composition and semi-natural structure, a vision that equally applies to our secondary woods.
5. Existing semi-natural open-ground and freshwater habitats are restored and maintained wherever their management can be sustained and new open ground habitats created where appropriate.
6. The heritage and cultural value of sites is taken into account in our management and, in particular, our ancient trees are retained for as long as possible.
7. Woods can offer the potential to generate income both from the sustainable harvesting of wood products and the delivery of other services. We will therefore consider the potential to generate income from our estate to help support our aims.
8. We work with neighbours, local people, organisations and other stakeholders in developing the management of our woods. We recognise the benefits of local community woodland ownership and management. Where appropriate we allow our woods to be used to support local woodland, conservation, education and access initiatives.
9. We use and offer the estate where appropriate, for the purpose of demonstration, evidence gathering and research associated with the conservation, recreational and sustainable management of woodlands. In particular we will develop and maintain a network of long-term monitoring sites across the estate.
- 10 Any activities we undertake will conform to sustainable forest management principles, be appropriate for the site and will be balanced with our primary objectives of enhancing the biodiversity and recreational value of our woods and the wider landscapes.

SUMMARY

This public management plan briefly describes the site, specifically mentions information on public access, sets out the long term policy and lists the Key Features which drive management actions. The Key Features are specific to this site - their significance is outlined together with their long (50 year+) and short (5 year) term objectives. The short term objectives are complemented by a detailed Work Programme for the period of this management plan. Detailed compartment descriptions are listed in the appendices which include any major management constraints and designations. A short glossary of technical terms is at the end. The Key Features and general woodland condition of this site are subject to a formal monitoring programme which is maintained in a central database. A summary of monitoring results is available on request.

1.0 SITE DETAILS

Site name:	Heath Hills
Location:	Brook
Grid reference:	SU931382, OS 1:50,000 Sheet No. 186
Area:	6.28 hectares (15.52 acres)
Designations:	Area of Outstanding Natural Beauty

2.0 SITE DESCRIPTION

2.1 Summary Description

Heath Hills has a number of sweet chestnut coppices the paths are informal often winding 'round the fallen trees. A real mix of experiences best accessed from the sports field.

2.2 Extended Description

Heath Hills was bought by the Woodland Trust in 1996 and covers 6.28 hectares on the top of a hill in the Surrey Hills AONB just north of the small village of Brook and with the A286 to the west.

The wood lies on free draining sandy soils and is very steep. The woodland consists of mainly oak high forest with a mixture of other broadleaved species including ash, birch, beech and hazel.

Historically the western half of the wood was managed as coppice (sweet chestnut and hazel) with standards (mainly oak). The north eastern part was an arable field as late as the end of the nineteenth century. The old earth walls, ditches and banks that would have marked the old boundaries are still very evident and an important feature of the wood. The wood was badly affected by the storm of 1987 with large gaps blown in the canopy, but the deadwood now provides good habitat and the wood is regenerating naturally.

Public access is low key with visitors mainly coming from nearby.

3.0 PUBLIC ACCESS INFORMATION

3.1 Getting there

The public highway is Haslemere Road (A286) adjacent to the site on the west. The public bridleway running along the northern boundary (off the A286) provides access for members of the public on foot (and on horse over the bridleway). There is a public footpath running along the eastern boundary, several points of access and a circular walk around the wood.

3.2 Access / Walks

4.0 LONG TERM POLICY

The long term aim for Heath Hills is to manage the woodland through a process of minimum intervention, thereby allowing natural processes to occur. This is likely to be the most beneficial approach for biodiversity on the site unless other factors such as tree disease or windblow affect conditions and some intervention becomes necessary. At present the area of sweet chestnut coppice on the western edge of the site is vulnerable to ink disease (*Phytophthora* spp.) and will become more unstable over time. The site will be monitored at appropriate intervals for the presence of tree diseases.

The site has abundant holly regeneration compared to other tree species such as oak, chestnut and hazel. Over time any gaps created by the collapse or death of larger trees should regenerate with at least some long term canopy tree species. The amount and species mix of regeneration will be monitored as part of the woodland condition assessment process.

The site has had some invasive rhododendron present until it was controlled in 2014. The site will be monitored to ensure rhododendron or other invasive species continue to absent.

The site is used by the residents of the village Brook, with very few people travelling further afield to visit. Due to this, the site will have minimal annual maintenance and tree safety inspections. The level of public use of the site and the maintenance regime will be assessed periodically.

5.0 KEY FEATURES

The Key Features of the site are identified and described below. They encapsulate what is important about the site. The short and long-term objectives are stated and any management necessary to maintain and improve the Key Feature.

5.1

Description
Significance
Opportunities & Constraints
Factors Causing Change
Long term Objective (50 years+)
Short term management Objectives for the plan period (5 years)

5.2

Description

Significance

Opportunities & Constraints

Factors Causing Change

Long term Objective (50 years+)

Short term management Objectives for the plan period (5 years)

6.0 WORK PROGRAMME

Year	Type of Work	Description	Due By
------	--------------	-------------	--------

APPENDIX 1: COMPARTMENT DESCRIPTIONS

Cpt No.	Area (ha)	Main Species	Year	Management Regime	Major Management Constraints	Key Features Present	Designations
1a	6.28	Oak (pedunculate)	1900	Min-intervention	Archaeological features, Very steep slope/cliff/quarry/mine shafts/sink holes etc		Area of Outstanding Natural Beauty

This compartment is predominantly mature oak with a large proportion of other mixed broadleaves. The area was badly damaged in the storm of 1987, the signs of which are still evident with good lying deadwood habitat throughout and standing dead wood in the eastern part of the compartment.

Mature sweet chestnut coppice of canopy height is found towards the west of the compartment along with a good number of mature birches. There are some mature beech trees and sycamore also present. The north and north west part of the compartment is predominantly ash whilst an area on the western slope is dominated by sweet chestnut coppice that was last cut in 1998. Large gaps have been created in the eastern part of the compartment due to the 1987 storm, but these are progressively being restocked through natural regeneration.

The understory consists of a mix of hazel, rowan, holly, beech, birch, oak, hawthorn and elder.

The ground flora mainly consists of bracken, bramble and honeysuckle with some bluebell on or near the old bank in the centre of the compartment.

GLOSSARY

Ancient Woodland

Ancient woods are defined as those where there has been continuous woodland cover since at least 1600 AD. In Scotland ancient woods are defined strictly as sites shown as semi-natural woodland on the 'Roy' maps (a military survey carried out in 1750 AD, which is the best source of historical map evidence) and as woodland all subsequent maps. However, they have been combined with long-established woods of semi-natural origin (originating from between 1750 and 1860) into a single category of Ancient Semi-Natural Woodland to take account of uncertainties in their identification. Ancient woods include Ancient Semi-Natural Woodland and plantations on Ancient Woodland Sites (see below). May support many species that are only found in ancient woodland.

Ancient Semi - Natural Woodland

Stands in ancient woods defined as those consisting predominantly of native trees and shrubs that have not obviously been planted, which have arisen from natural regeneration or coppice regrowth.

Ancient Woodland Site

Stands in ancient woods that have been converted to plantations, of coniferous, broadleaved or mixed species, usually for timber production, including plantations of native species planted so closely together that any semi-natural elements of the understorey have been suppressed.

Beating Up

Replacing any newly planted trees that have died in the first few years after planting.

Broadleaf

A tree having broad leaves (such as oak) rather than needles found on conifers (such as Scots pine).

Canopy

The uppermost layer of vegetation in a woodland, or the upper foliage and branches of an individual tree.

Clearfell

Felling of all trees within a defined area.

Compartment

Permanent management division of a woodland, usually defined on site by permanent features such as roads. See Sub-compartments.

Conifer

A tree having needles, rather than broadleaves, and typically bearing cones.

Continuous Cover forestry

A term used for managing woods to ensure that there are groups or individual trees of different ages scattered over the whole wood and that some mature tree cover is always maintained. Management is by repeated thinning and no large areas are ever completely felled all at once.

Coppice

Trees which are cut back to ground levels at regular intervals (3-25 years).

Exotic (non-native) Species

Species originating from other countries (or other parts of the UK) that have been introduced by humans, deliberately or accidentally.

Field Layer

Layer of small, non-woody herbaceous plants such as bluebells.

Group Fell

The felling of a small group of trees, often to promote natural regeneration or allow planting.

Long Term Retention

Discrete groups of trees (or in some cases single trees) that are retained significantly past their economic felling age. Operations may still be carried out within them and thinning is often necessary to maintain stability.

Minimum Intervention

Areas where no operations (such as thinning) will take place other than to protect public safety or possibly to control invasive exotic species.

Mixed Woodland

Woodland made up of broadleaved and coniferous trees.

National vegetation classification (NVC)

A classification scheme that allows an area of vegetation to be assigned to the standardised type that best matches the combination of plant species that it contains. All woodlands in the UK can be described as being one of 18 main woodland types (W1 - W18), which principally reflect soil and climatic conditions. For example, Upland Oakwoods are type W11, and normally occur on well drained infertile soils in the cooler and wetter north and west of Britain. Each main type can be subdivided into numerous subtypes. Most real woods contain more than one type or sub-type and inevitably some woods are intermediate in character and can't be properly described by any sub type.

Native Species

Species that arrived in Britain without human assistance.

Natural Regeneration

Naturally grown trees from seeds falling from mature trees. Also regeneration from coppicing and suckering.

Origin & Provenance

The provenance of a tree or seed is the place where seed was collected to grow the tree or plant. The origin is the geographical location within the natural range of a species from where seeds/tree originally derives. Thus an acorn collected from a Turkey oak in Edinburgh would have an Edinburgh provenance and a southern European origin.

Re-Stocking

Re-planting an area of woodland, after it has been felled.

Shrub Layer

Formed by woody plants 1-10m tall.

Silviculture

The growing and care of trees in woodlands.

Stand

Trees of one type or species, grouped together within a woodland.

Sub-Compartment

Temporary management division of a compartment, which may change between management plan periods.

Thinning

The felling of a proportion of individual trees within a given area. The remaining trees grow to fill in the space created.

Tubex or Grow or Tuley Tubes

Tubes placed over newly planted trees or natural regeneration that promote growth and provide protection from animals such as rabbits and deer.

Weeding

The control of vegetation immediately around newly planted trees or natural regeneration to promote tree growth until they become established. Either by hand cutting or with carefully selected weed killers such as glyphosate.

Windblow/Windthrow

Trees or groups of trees blown over (usually uprooted) by strong winds and gales.